



ELPLAST
safety




Transenna in plastica Phoenix
Crowd barrier Phoenix mod.

Cod.	Pallet	Dimensions	Weight
SPR0901	20 pcs.	2000 x 1100 mm	14,0 Kg.



Transenna in plastica Easy
Mobile fence Easy mod.

Cod.	Pallet	Dimensions	Weight
SPR0902	40 pcs.	2000 x 1100 mm	9,0 Kg.



Transenna uso manifestazioni Arial
Mobile fence for events Arial mod.

Cod.	Pallet	Dimensions	Diam. tube	Weight
SPR0900	25 pcs.	2200 x 1100 mm	Ø 33.7 mm	20,0 Kg.




Transenna Expo
Mobile fence Expo mod.

Cod.	Pallet	Dimensions	Weight	Features
SPR0903	20 pcs.	2000 x 1100 mm	17,0 Kg.	Transenna Expo <i>Mobile fence Expo mod.</i>
SPR0904	5 pcs.	-	-	Adattatore per lampada <i>Lamp adapters</i>
SP0801	30 pcs.	800 x 400 x 120 mm	30,0 Kg. ± 15%	Base di appesantimento <i>Base plate made of recycled plastic material</i>

SPR0904

SP0801



Recinzione mobile per cantiere Cornice
Mobile fence Frame mod.

Cod.	Pallet	Dimensions	Diam. tube	Weight
SPR0906	35 pcs.	3500 x 2000 mm	290 x 100	13,0 Kg.

Accessori per recinzione - Accessories for mobile fence

SPR0907

Saetta di rinforzo
Support strut for fences



SPR0908

Collare di raccordo
Safety connecting clamp



SPR0909

Base in calcestruzzo
Base plate of concrete



SPR0910

Base in PVC arancio
Base plate of concrete



SPR0916

Base in gomma kg. 26
Base plate of rubber



SPR0911

Cancello
Gate access



SPR0913

Combi pallet



Bagno mobile Magenta con wc chimico
Portable toilets mod. Magenta with chemical wc



UNI EN 16194:2012

Cod.
Dimensions
Door light
Weight
Vol. wastewater
Vol. clean water
Uses
Features

SPR0914
110 x 120 x 245 cm
60 x 200 cm
95 Kg.
170 Lt.
115 Lt.
200 ca
Green
Blue
Gray



Bagno mobile Cromo con turca idraulica sifonata
Portable toilets mod. Cromo with hydraulic siphoned wc



UNI EN 16194:2012

Cod.
Dimensions
Door light
Weight
Drainpipe
Features

SPR0915
110 x 120 x 245 cm
60 x 200 cm
85 Kg.
110 Lt.
Gray/Green
Gray/Blue
Gray/Orange





SP0651

SP0652

Lampada da cantiere mono D-Lite
Building site lamps mono D-Lite

Mono D-Lite Cod.	SP0651	SP0652
CE Certification	Not in compliance with UNI EN 12352	
LED Color	● ●	● ●
Battery Life (1 batt.) 7Ah	130 H.	350 H.
Packaging	10 pcs.	10 pcs.



SP0653

SP0654

Lampada da cantiere omologata D-Starlite MONOPILA
Certified building site lamps D-Starlite MONO-BATTERY

D-Starlite Cod.	SP0653	SP0654
Certification UNI EN 12352	L3	L3
LED Color	● ●	● ●
Battery Life (1 batt.) 7Ah	500 H.	600 H.
Packaging	10 pcs.	10 pcs.



SP0657

SP0658

SP0659

SP0660

Lampada da cantiere omologata D-Star BIPILIA
Certified building site lamps D-Star

D-Star Cod.	SP0657	SP0658	SP0659	SP0660
Certification UNI EN 12352	L7	L6	L7	L7
LED Color	 		 	
Battery Life (2 batt.) 7 Ah 25 Ah 50 Ah	250 H. 900 H. 1800 H.	800 H. 2800 H. 4500 H.	500 H. 1800 H. 3600 H.	1000 H. 3300 H. 6600 H.
Packaging	12 pcs.	12 pcs.	12 pcs.	12 pcs.



D2-Basic210 proiettore led
D2-Basic210 warning led lights

D2-Basic210 Cod.		SP0702
Certification UNI EN 12352		L8M - L8H
LED Color		
Battery Life (2 batt.)	7Ah 25 Ah 50 Ah	200 H. 700 H. 1400 H.



SP0703

SP0704

D4c-Basic proiettore led con kit batteria
D4c-Basic warning lights with batteries kit

D4c-Basic Cod.	SP0703 D4c-Basic210	SP0704 D4c-Basic302
Certification UNI EN 12352	L8M - L8H	L9M - L9H
LED Color	●	●
Battery Life (2 batt.)	7Ah 25 Ah 50 Ah	130 H. 500 H. 1100 H.

Impianti sequenziali
Sequence light system



Certification UNI EN 12352

Cod.	
SP0707	Impianto sequenziale con cavo / Sequence with cable
SP0705	Impianti sequenziali radio
SP0706	Sequence light system with wireless radio technology

Semaforo mobile per cantieri
Portable traffic light for construction sites



Cod.	LED color	Battery life
SPSQ0709	● Ø 200 mm	90 Ah - 430 H.
SPMB0709	● Ø 200 mm	
	● Ø 200 - 300 mm	

Omologazione UNI EN12368 Ministero Infrastrutture e Trasporti / CE
UNI EN12368 approval Ministry of Infrastructure and Transport



ACCESSORI PER IL PONTEGGIO

SCAFFOLDS ACCESSORIES

Tribase - sottobasetta polifunzionale multipla

Tribase - strong hi viz footplate



Cod.	Packaging
SP0105	13 pcs.

Certified product: test N° 713/714/715/MEC VAR e RELAZIONE VERB. 57881 - 26/07/2010.

Sottobasetta quadrata inclinata

Square inclined hi viz footplate



Cod.	Packaging
SP0103	40 pcs.

Certified product: test N° 668/MEC VAR del 18/12/2009 e N° 747/MEC VAR - 10/08/2010.

Sottobasetta universale

Lightweight hi viz footplate



Cod.	Packaging
SP0100	80 pcs.

Certified product: test N° 961/MEC VAR - 05/04/2013.

Sottobasetta quadrata

Square hi viz footplate



Cod.	Packaging
SP0101	80 pcs.

Certified product: test N° 634/MEC VAR - 31/10/2009.

Sottobasetta tonda

Round hi viz footplate



Cod.	Packaging
SP0102	80 pcs.

Certified product: test N° 662/MEC VAR - 31/10/2009.

Coprigiunto basic

Basic scaffold fitting cover



Cod.	Packaging
SP0200	90 pcs.

Coprigiunto standard

Standard scaffold fitting cover



Cod.	Packaging
SP0201	90 pcs.

Coprigiunto multidirezionale

Modular scaffold system joint cover



Cod.	Packaging
SP0202	40 pcs.

Sfera copri rosetta per multidirezionale

Modular scaffold system protective sphere



Cod.	Packaging
SP0203	40 pcs.

Tappo di protezione per tubo ø 48

Protective cap for tube ø 48



Cod.	Packaging	Features
SP0301	200 pcs.	Rigid PP
SP0302	200 pcs.	Soft PVC

Fungo di segnalazione per ferri sporgenti

Signaling cap for protruding iron



Cod.	Packaging	Features
SP0351	400 pcs.	Ø 6/20 mm
SP0352	300 pcs.	Ø 22/35 mm

Copritubo ad aggancio

Basic hi viz tube sleeve



Cod.	Packaging
SP0400	60 pcs.

Copritubo di segnalazione a due gusci

Double hi viz tube sleeve



Cod.	Packaging
SP0401	60 pcs.

Copritubo antiurto in PE espanso

Shockproof pipe-covering



Cod.	Packaging
SP0450	27 tubi 67.5 mtl
SP0451	27 tubi 67.5 mtl

CE certified product.



Scarica detriti
Rubbish chute

Cod.	Packaging	Pallet	Dimensions	Weight
SPSDC48	1 pcs.	36 pcs.	H. 106 cm	8 Kg.

Accessori - Accessories

SPSDDT1
Tramoggia chiusa
Classic hopper



SPSDDT2
Tramoggia impilabile
Stackable hopper



SPSDS35
Supporto per tramoggia
Hopper universal support



SPSDR01
Rallentatore di caduta
Breaking device



SPSDR02
Cassone per calcestruzzo
Heavy box for concrete



SPSDR023
Benna basculante
Pivoted bucket



Nastri di segnalazione
Warning tapes

SP0551



SP0551R



SP0552



SP0553



SP0554



SP0555



SP0556



NASTRI DA INTERRO

SP0557 ROSSO: FIBRE OTTICHE
SP0558 ROSSO: TELERISCALDAMENTO
SP0559 ROSSO: CAVI ELETTRICI

SP0560 BLU: ACQUA
SP0561 BLU: FOGNATURE
SP0562 GIALLO: GAS
SP0563 GIALLO: CAVI TELEFONICI

Cartelli
Signs of information



CRT5070-02



CRT5070-03



CRT5070-07



CRT5070-08



CRT5070-10



CRT8060



CRT1270



CRT10080




CRT5050



CRT18038

Reti da ponteggio
Scaffolding protection net



RTP03-AT



RTP03-A0

Cod.	Features
RTP03-AT	Rete con occhiello tessuto Scaffolding Net Knitted Eyelet
RT03-AO	Rete con occhiello metallico rinforzato Scaffolding Net Metal Eyelet
RT03-AB	Rete con occhiello tessuto bianca Scaffolding Net Knitted Eyelet - white

SEGNALETICA E ATTREZZATURA PER IL CANTIERE
BUILDING CONSTRUCTION

Barriera stradale Jersey
Stackable Jersey barrier

Cod.	Pallet
SPNJ790	27 pcs.



Elmetto da cantiere Basic
interno in plastica
Safety helmet Basic mod.
internal plastic

Cod.	Packaging
SP0750	50 pcs.
SP0751	20 pcs.

CE certified product UNI EN 397

SP0750



Regolazione nucale manuale
Manual adjustment

SP0751



Regolazione nucale con rotella
Micrometric adjustment

Elmetto da cantiere Fly interno in tessuto
Safety helmet Fly mod. fabric coating inside



Cod.	Packaging
SP0752	24 pcs.

CE certified product UNI EN 397

Elmetto da ponteggiatore Cubor interno in tessuto
Safety helmet Cubor mod. fabric coating inside



Cod.	Packaging
SP0754	24 pcs.

CE certified product UNI EN 397

Elmetto professionale Rock imbottitura a ragno
Safety helmet Rock mod. fabric coating inside



Cod.	Packaging
SP0755	10 pcs.

CE certified product UNI EN 397

Colonnina con catena
Plastic chain post

Cod.	Packaging
SP900.K1	10 pcs.

KIT completo di colonna H.900 mm tappo superiore con aggancio per il fissaggio della catena e base vuota.

KIT with plastic tube H.900 mm with chain holders integrated in the cap and plastic foot.



Cono segnaletico
Traffic cones



Cod.	Packaging	Dimensions
SP2005/331R	20 pcs.	H. 34 cm

kg. 0,350



Cod.	Packaging	Dimensions
SP2006/532R	10 pcs.	H. 54 cm

kg. 0,900



Cod.	Packaging	Dimensions
SP2007/753R	5 pcs.	H. 75 cm

kg. 4,000



kg. 2,000




kg. 5,000

Cod.	Packaging	Dimensions
SP2009/CL2	10 pcs.	H. 54 cm

Cod.	Packaging	Dimensions
SP2015/CL2	10 pcs.	H. 75 cm

Rete da cantiere Building fencing net

Cod.	H. cm	Pallet	Area Mass UNI 9401	Permeabilità all'aria Permeability to air
RTA01-120	120	30 Roll.	gr. 180/mq	Buona/Good
RTA01-150	150	30 Roll.	gr. 180/mq	Buona/Good
RTA01-180	180	30 Roll.	gr. 180/mq	Buona/Good



Casse per macerie Bucket for rubble



Cod.	Packaging	Volume Lt.
SPCMT45	5 pcs.	45 Lt.



Cod.	Packaging	Volume Lt.
SPCEM50	5 pcs.	50 Lt.
SPCEM60	5 pcs.	60 Lt.

Rete da cantiere Extra Building fencin net Extra mod.

Cod.	H. cm	Pallet	Area Mass UNI 9401	Permeabilità all'aria Permeability to air
RTA02-120	120	5 Roll.	gr. 220/mq	Eccellente/Excellent
RTA02-180	180	5 Roll.	gr. 220/mq	Eccellente/Excellent



Secchi da cantiere Bucket for building industry



Cod.	Packaging	Volume Lt.
SPSMB34	25 pcs.	10 Lt.

Secchio economico;
Disponibile in colore nero e rosso.

*Bucket type Basic;
Available in colors black and red.*



Cod.	Packaging	Volume Lt.
SPSMX36	10 pcs.	14 Lt.

Manico antinfortunistico;
Disponibile in colore rosso, giallo, verde.

*Accident-prevention handle attachment;
Available in colors red, yellow, green.*



Cod.	Packaging	Volume Lt.
SPSMP36	10 pcs.	14 Lt.

Attacco manico antinfortunistico, manico zincocromato Ø 7 mm, antigelo, internamente graduato, con maniglie laterali per una facile presa.

Accident-prevention handle attachment, chromated handle Ø 7 mm, antifreeze, internally sized, with side handles for ease grip.

Edildista - distanziatori per casseforme Edildista - tube for formwork



Cod.	Dimensions	Pallet 80x120	Pallet 80x120	Pallet 100x120	Pallet 100x120
ED0150	L. 150 mm	8400 pcs.	H. 210 Kg. 320	9.000 pcs.	H. 210 Kg. 330
ED0200	L. 200 mm	6.000 pcs.	H. 200 Kg. 340	7.200 pcs.	H. 190 Kg. 340
ED0250	L. 250 mm	4.800 pcs.	H. 200 Kg. 308	5.000 pcs.	H. 200 Kg. 325
ED0300	L. 300 mm	4.200 pcs.	H. 230 Kg. 300	4.500 pcs.	H. 210 Kg. 330
ED0350	L. 350 mm	3.600 pcs.	H. 230 Kg. 293	3.200 pcs.	H. 210 Kg. 290
ED0400	L. 200+200 mm	3.000 pcs.	H. 200 Kg. 317	3.000 pcs.	H. 210 Kg. 318
ED0450	L. 200+250 mm	2.400 pcs.	H. 190 Kg. 269	2.800 pcs.	H. 190 Kg. 315
ED0500	L. 250+250 mm	2.400 pcs.	H. 200 Kg. 287	2.500 pcs.	H. 200 Kg. 308

Certified product: test N. 664/MEC VAR 31/10/2009, N. 818/MEC VAR - 11/02/2011.



FLPLAST
safety

Ferremi Luca s.r.l.

Via Nazionale, 13 - 25074 Lavenone (BS) - Italy
T. +39 0365.823811 - F. +39 0365.516635

info@fiplast.com
www.fiplast.com

